Product datasheet

Specifications





TeSys K - Suppressor module -RC circuit - 110...250 V

LA4KA1U

Main

Range	TeSys
Device Short Name	LA4K
Product Or Component Type	Suppressor module
Product Compatibility	CA2K LC1K LC7K

Complementary

Mounting Location	Front side
Mounting Mode	Clip-on
Suppressor Technology	RC circuit
[Uc] Control Circuit Voltage	110250 V AC
Maximum Peak Voltage	3 Uc
Local Signalling	LED
Quantity Per Set	Set of 5
Height	26 mm
Width	6 mm
Depth	22 mm
Net Weight	0.01 kg

Environment

Standards	UL 60947-5-1 CSA C22.2 No 60947-5-1 EN/IEC 60947-5-1
Product Certifications	UL CSA CE UKCA
Ip Degree Of Protection	IP2X conforming to IEC 60529
Protective Treatment	TC conforming to IEC 60068 TC conforming to DIN 50016
Ambient Air Temperature For Operation	-2550 °C
Ambient Air Temperature For Storage	-5080 °C

Packing Units

Unit Type Of Package 1

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

PCE

Number Of Units In Package 1	1
Package 1 Height	0.800 cm
Package 1 Width	2.800 cm
Package 1 Length	4.200 cm
Package 1 Weight	4.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	2.800 cm
Package 2 Width	5.200 cm
Package 2 Length	4.300 cm
Package 2 Weight	25.000 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	420
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.672 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations