

Product data sheet

Specifications



TeSys GV, top feed terminal block, for busbars, 3 P, for TeSys D and TeSys U

GV1G09

Main

Range	Linergy
Product Name	FT
Device Short Name	GV1G
Product Or Component Type	Terminal block
Accessory / Separate Part Category	Connection accessory
Poles Description	3P
Range Compatibility	TeSys GV2 TeSys Deca TeSys U TeSys LS1

Complementary

[Ie] Rated Operational Current	63 A
Mounting Location	Top
Ip Degree Of Protection	IP20 conforming to IEC 60529
[Ui] Rated Insulation Voltage	690 V IEC 60947-1
Connections - Terminals	screw clamp terminals 1 solid AWG 4 screw clamp terminals 1 0.00...0.02 in ² (1.5...16 mm ²) flexible with cable end screw clamp terminals 1 0.00...0.02 in ² (1.5...16 mm ²) flexible without cable end screw clamp terminals 1 0.00...0.04 in ² (1.5...25 mm ²) solid screw clamp terminals 2 0.00...0.01 in ² (1.5...4 mm ²) flexible with cable end screw clamp terminals 2 0.00...0.01 in ² (1.5...6 mm ²) solid screw clamp terminals 2 0.00...0.01 in ² (1.5...4 mm ²) flexible without cable end screw clamp terminals 1 flexible AWG 4
Tightening Torque	15.05 lbf.in (1.7 N.m) screw clamp terminals 19.47 lbf.in (2.2 N.m) connector
Net Weight	0.09 lb(US) (0.04 kg)

Environment

Product Certifications	CE UKCA
------------------------	------------

Ordering and shipping details

Category	US10I122366
Discount Schedule	0I11
Gtin	3389110212570

P

Returnability	Yes
---------------	-----

Country Of Origin	RO
-------------------	----

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Number Of Units In Package 1	1
------------------------------	---

Package 1 Height	1.57 in (4 cm)
------------------	----------------

Package 1 Width	1.97 in (5 cm)
-----------------	----------------

Package 1 Length	2.17 in (5.5 cm)
------------------	------------------

Package 1 Weight	1.69 oz (48 g)
------------------	----------------

Unit Type Of Package 2	S02
------------------------	-----

Number Of Units In Package 2	70
------------------------------	----

Package 2 Height	5.91 in (15 cm)
------------------	-----------------

Package 2 Width	11.81 in (30 cm)
-----------------	------------------

Package 2 Length	15.75 in (40 cm)
------------------	------------------

Package 2 Weight	8.11 lb(US) (3.678 kg)
------------------	------------------------

Unit Type Of Package 3	P06
------------------------	-----

Number Of Units In Package 3	1120
------------------------------	------

Package 3 Height	30.31 in (77 cm)
------------------	------------------

Package 3 Width	31.50 in (80 cm)
-----------------	------------------

Package 3 Length	23.62 in (60 cm)
------------------	------------------

Package 3 Weight	150.31 lb(US) (68.18 kg)
------------------	--------------------------

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

Dimensions Drawings

Sets of Busbars GV2G... with Terminal Block GV1G09

