



H7CC-AW

Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply

Specifications

Type	Pre-set counter
Size	1/16 DIN (48 x 48 mm)
Counting functions	1-stage counter, 1-stage counter with batch counter, 1-stage counter with total counter, 2-stage counter, Dual counter (addition/subtraction), Tachometer, Twin counter
Counting range	-99999 - 999999
LCD backlight	With backlight
Number of digits	6
Body color	Black
Installation type	On-panel
Terminal type	Screw
Output type	Relay
Relay output	2
Transistor output	0
Inputs	DC voltage, No-voltage
Supply voltage AC	100-240 V
Speed	10000 Hz
Product Width (unpacked)	48 mm
Product Height (unpacked)	48 mm
Product Depth (unpacked)	78 mm

Accessories



Y92A-48

Protective cover for DIN48x48mm device, hard plastic (shallow)



Y92A-48F1

Protective cover for DIN 48 x 48 mm timer and counter, soft plastic



Y92F-45

Panel adaptor, 48 x 48 device into 67 x 67 hole

Downloads

CAD Library



**EAC Mark removal
Discontinuation Notice**

EN PDF 221 KB



**H7CC Digital
Counter/Digital
Tachometer**

Brochure

EN PDF 3.65 MB



**H7CC Digital
Counter/Tachometer**
Datasheet

EN PDF 15.8 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 28 May, 2025. Click here for [terms of use](#).

OMRON

INDUSTRIAL AUTOMATION | [INDUSTRIAL.OMRON.EU](https://www.industrial.omron.eu)